

Medical Policy Bulletin

Title:

Eptinezumab-jjmr (VYEPTI™)

Policy #:

MA08.116d

The Company makes decisions on coverage based on the Centers for Medicare and Medicaid Services (CMS) regulations and guidance, benefit plan documents and contracts, and the member's medical history and condition. If CMS does not have a position addressing a service, the Company makes decisions based on Company Policy Bulletins. Benefits may vary based on contract, and individual member benefits must be verified. The Company determines medical necessity only if the benefit exists and no contract exclusions are applicable. Although the Medicare Advantage Policy Bulletin is consistent with Medicare's regulations and guidance, the Company's payment methodology may differ from Medicare.

When services can be administered in various settings, the Company reserves the right to reimburse only those services that are furnished in the most appropriate and cost-effective setting that is appropriate to the member's medical needs and condition. This decision is based on the member's current medical condition and any required monitoring or additional services that may coincide with the delivery of this service.

This Policy Bulletin document describes the status of CMS coverage, medical terminology, and/or benefit plan documents and contracts at the time the document was developed. This Policy Bulletin will be reviewed regularly and be updated as Medicare changes their regulations and guidance, scientific and medical literature becomes available, and/or the benefit plan documents and/or contracts are changed.

Policy

Coverage is subject to the terms, conditions, and limitations of the member's Evidence of Coverage.

In the absence of coverage criteria from applicable Medicare statutes, regulations, NCDs, LCDs, CMS manuals, or other Medicare coverage documents, this policy uses internal coverage criteria developed by the Company in consideration of peer-reviewed medical literature, clinical practice guidelines, and/or regulatory status.

The Company reserves the right to reimburse only those services that are furnished in the most appropriate and cost-effective setting that is appropriate to the member's medical needs and condition.

MEDICALLY NECESSARY

INITIAL CRITERIA

- A neurologist, headache specialist, or pain specialist has established a diagnosis of episodic (4 to 14 headache days per month) or chronic (15 or more headache days per month) migraine
- The individual is 18 years of age or older
- The individual had an inadequate response or inability to tolerate a 4-week trial of TWO of the following prophylactic medications:
 - Topiramate
 - Divalproex sodium/valproic acid
 - Beta-blocker: metoprolol, propranolol, timolol, atenolol, nadolol
 - Tricyclic antidepressants: amitriptyline, nortriptyline
 - Serotonin-norepinephrine reuptake inhibitor (SNRI) antidepressants: venlafaxine, duloxetine
 - Onabotulinumtoxin-A (Botox) for chronic migraines
- Medication will not be used in combination with another calcitonin gene-related peptide (CGRP) inhibitor (e.g., for episodic or chronic migraines: erenumab [Aimovig], fremanezumab [Ajovy], or galcanezumab [Emgality]; or oral CGRP antagonist for episodic migraines: rimegepant [Nurtec ODT] or atogepant [Qulipta])

CONTINUATION CRITERIA

Documentation of response to therapy as defined by a 50 percent reduction in migraine days per month from

baseline (defined as at least 4 hours' duration and moderate intensity)

EXPERIMENTAL/INVESTIGATIONAL

All other uses for etinezumab-jjmr (VYEPTI™) are considered experimental/investigational and, therefore, not covered unless the indication is supported as an accepted off-label use, as defined in the Company medical policy on off-label coverage for prescription drugs and biologics.

REQUIRED DOCUMENTATION

The individual's medical record must reflect the medical necessity for the care provided. These medical records may include, but are not limited to: records from the professional provider's office, hospital, nursing home, home health agencies, therapies, and test reports.

The Company may conduct reviews and audits of services to our members, regardless of the participation status of the provider. All documentation is to be available to the Company upon request. Failure to produce the requested information may result in a denial for the drug.

[Guidelines](#)

DRUG INFORMATION

In accordance with US Food and Drug Administration (FDA) prescribing information, etinezumab-jjmr (VYEPTI™) is administered by intravenous infusion 100 mg every three months. Some individuals may benefit from a dosage of 300 mg administered by intravenous infusion every three months.

BENEFIT APPLICATION

Subject to the terms and conditions of the applicable Evidence of Coverage, etinezumab-jjmr (VYEPTI™) is covered under the medical benefits of the Company's Medicare Advantage products when the medical necessity criteria and Dosing and Frequency Requirements listed in this medical policy are met.

US FOOD AND DRUG ADMINISTRATION (FDA) STATUS

Etinezumab-jjmr (VYEPTI™) was approved by the FDA on February 21, 2020 for the preventive treatment of migraine in adult individuals.

PEDIATRIC USE

The safety and effectiveness of etinezumab-jjmr (VYEPTI™) for the preventive treatment of migraine have not been established in the pediatric population.

[Description](#)

Migraine is a complex and incapacitating neurological disease characterized by recurrent episodes of severe headaches typically accompanied by a range of symptoms, including nausea, vomiting, and sensitivity to light or sound. It is estimated to affect approximately 39 million people in the United States and more than 1.3 billion worldwide. Migraine impacts women three times more often than men. It is the second leading cause of years lived with disability (YLD) among all diseases, and is the top YLD cause among patients aged 15 to 49 years, according to the Global Burden of Disease study. Migraine impacts patients' lives, their relationships, as well as their activities of daily living. More than 157 million work days are lost each year in the U.S. due to migraine. Beyond the burden of a migraine attack itself, having migraine increases the risk for other physical and psychiatric conditions.

Eptinezumab-jjmr is a humanized immunoglobulin G1 (IgG1) monoclonal antibody specific for calcitonin gene-related peptide (CGRP) ligand. Eptinezumab-jjmr binds to calcitonin gene-related peptide (CGRP) ligand and blocks its binding to the receptor. Eptinezumab-jjmr is produced in *Pichia pastoris* yeast cells by recombinant DNA technology.

PEER-REVIEWED LITERATURE

SUMMARY

The efficacy and safety of Eptinezumab-jjmr (VYEPTI™) was evaluated in two clinical trials PROMISE-1 in episodic migraine and PROMISE-2 in chronic migraine. The PROMISE-1 study was a phase 3, multicenter, randomized, double-blind, placebo-controlled, parallel-group study for adult individuals with episodic migraine. Individuals were randomized to VYEPTI 30 mg, 100 mg, 300 mg, or placebo for up to four intravenous (IV) doses administered every 12 weeks. The primary endpoint was change from baseline in monthly migraine days (MMDs) over weeks 1-12. A total of 665 individuals were randomized to either 100 mg (n = 221) or 300 mg (n = 222) intravenous eptinezumab or placebo (n = 222) every three months for one year. Baseline migraine frequency was 8.6 migraine days per month, comparable between groups. Between months one through three, the mean change in migraine days was -3.9 days (P = 0.018) and -4.3 days (P < 0.001) for the 100 mg and 300 mg doses, respectively, compared to -3.2 days for the placebo group. During the same period of time, 49.8 percent of individuals in the 100 mg group (P = 0.009) and 56.3 percent of individuals in the 300 mg group (P < 0.001) experienced ≥ 50 percent reduction in migraine days compared to 37.4 percent of those in the placebo group. A reduction of 75 percent or more in migraine days in months one through three was reported by 22.2 percent of the 100 mg group, 29.7 percent of the 300 mg group (P < 0.001), and 16.2 percent of the placebo group.

The PROMISE-2 study was a phase 3, randomized, double blind, placebo controlled study evaluating safety and efficacy of two infusions for the preventive treatment of chronic migraine. The primary endpoint was change from baseline in MMDs over weeks one through 12. A total of 1072 individuals were randomized and received placebo (N=366), 100 mg VYEPTI (N=356), or 300 mg VYEPTI (N=350) every three months for six months. Individuals were allowed to use and to continue an established stable regimen of acute migraine or headache preventive medication (except onabotulinumtoxinA). Individuals with a dual diagnosis of chronic migraine and medication overuse headache attributable to acute medication overuse (triptans, ergotamine, or combination analgesics greater than 10 days per month) were included in the study population. Individuals using opioids or butalbital-containing products greater than 4 days per month were not allowed.

In the group of individuals treated with 100 mg, changes from baseline in MMDs were -7.7 days (p<0.0001) and -8.1 days (p<0.0001) over first three months (months 1–3) and a second three months (months 4–6), respectively. In the more than 75 percent migraine response rate (RR)s were: 30.9 percent (month one; p<0.0001), 26.7 percent (months 1–3; p=0.0001), and 38.5 percent (months 4–6). In the ≥ 50 percent migraine RRs were: 57.6 percent (months 1–3; p<0.0001) and 60.7 percent (months 4–6).

In the group of individuals treated with 300 mg, changes from baseline in MMDs were -8.2 days (p<0.0001) and -8.8 days (p<0.0001) over first three months and a second three months, respectively. In the ≥75 percent migraine RRs were: 36.9 percent (month one; p<0.0001), 33.1 percent (months 1–3; p<0.0001), and 42.3 percent (months 4–6). In the ≥50 percent migraine RRs were: 61.4 percent (months 1–3; p<0.0001) and 63.4 percent (months 4–6). In the group of individuals treated with placebo, changes from baseline in MMDs were -5.6 days and -6.1 days over first three months and a second three months, respectively. In the ≥75 percent migraine RRs were: 15.6 percent (month 1), 15.0 percent (months 1–3), and 22.7 percent (months 4–6). In the ≥50 percent migraine RRs were: 39.3 percent (months 1–3) and 44.5 percent (months 4–6).

The most common adverse reactions (more than two percent and at least two percent or greater than placebo) in the clinical trials for the preventive treatment of migraine were nasopharyngitis and hypersensitivity.

VYEPTI treatment demonstrated statistically significant improvements compared to placebo for the primary efficacy endpoint in both studies.

OFF-LABEL INDICATION

There may be additional indications contained in the Policy section of this document due to evaluation of criteria highlighted in the Company's off-label policy, and/or review of clinical guidelines issued by leading professional organizations and government entities.

References

American Hospital Formulary Service (AHFS). Eptinezumab-jjmr (VYEPTI™). AHFS Drug Information 10/02/2024. [LexiComp Web site]. Available at: <http://online.lexi.com/lco/action/home#> [via subscription only]. Accessed October 8, 2024.

Ashina M, Saper J, Cady R, et al. Eptinezumab in episodic migraine: A randomized, double-blind, placebo-controlled study (PROMISE-1). *Cephalalgia*. 2020;40(3):241-254.

ClinicalTrials.gov. A Multicenter Assessment of ALD403 in Frequent Episodic Migraine (PROMISE 1). ClinicalTrials.gov Identifier: NCT02559895. First Posted: September 25, 2020; Last Update Posted: May 14, 2020. Available at: <https://clinicaltrials.gov/ct2/show/NCT02559895?term=NCT02559895&draw=2&rank=1>. Accessed October 8, 2024.

ClinicalTrials.gov. Evaluation of ALD403 (Eptinezumab) in the Prevention of Chronic Migraine (PROMISE 2). ClinicalTrials.gov Identifier: NCT02974153. First Posted: November 28, 2016; Last Update Posted: February 28, 2024. Available at: <https://clinicaltrials.gov/ct2/show/NCT02974153?term=NCT02974153&draw=2&rank=1>. Accessed October 8, 2024.

Elsevier's Clinical Pharmacology Compendium. Eptinezumab-jjmr (VYEPTI™). [MD Consult Web site]. 06/11/2024. Available at: <http://www.mdconsult.com> [via subscription only]. Accessed October 8, 2024.

Eptinezumab-jjmr (VYEPTI™). [prescribing information]. Bothell, USA: Lundbeck Seattle BioPharmaceuticals, Inc.; 10/2022. Available at: <https://gamifant.com/pdf/Full-Prescribing-Information.pdf>. Accessed October 8, 2024.

GBD 2017 Disease and Injury Incidence and Prevalence Collaborators. Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. *Lancet*. 2018;392(10159):1789–1858.

Kudrow D, Lipton R, Silberstein S, et al. Eptinezumab for prevention of chronic migraine: results of 2 infusions in the phase 3 PROMISE-2 (Prevention of Migraine via Intravenous Eptinezumab Safety and Efficacy–2) Trial. *Neurology*. 2019;92(15):2.10-006.

Lexi-Drugs Compendium. Eptinezumab-jjmr. [Lexicomp Online Web site]. 08/29/2024. Available at: <http://online.lexi.com/lco/action/home> [via subscription only]. Accessed October 8, 2024.

Lipton RB, Bigal ME, Diamond M, et al. Migraine prevalence, disease burden, and the need for preventative therapy. *Neurology*. 2007;68(5):343-349.

Micromedex® Healthcare Series [Internet database]. Eptinezumab-jjmr. Greenwood Village, CO: Thomson Micromedex. 12/11/2023. Available at: <http://www.micromedexsolutions.com/micromedex2/librarian>. Accessed October 8, 2024.

Migraine Research Foundation. Migraine Facts. Available at <https://migraineresearchfoundation.org/about-migraine/migraine-facts/>. Accessed October 8, 2024.

US Food and Drug Administration (FDA). Center for Drug Evaluation and Research. (VYEPTI™) eptinezumab-jjmr prescribing information and approval letter [FDA Web site]. Updated 10/2022. Available at: <https://www.accessdata.fda.gov/scripts/cder/daf/>. Accessed October 8, 2024.

Steiner TJ, Stovner LJ, Vos T, et al. Migraine is first cause of disability in under 50s: will health politicians now take notice? *J Headache Pain*. 2018;19(1):17.

Villalón CM, Olesen J. The role of CGRP in the pathophysiology of migraine and efficacy of CGRP receptor antagonists as acute antimigraine drugs. *Pharmacol Ther*. 2009;124(3):309-323.

Coding

Inclusion of a code in this table does not imply reimbursement. Eligibility, benefits, limitations, exclusions, precertification/referral requirements, provider contracts, and Company policies apply.

The codes listed below are updated on a regular basis, in accordance with nationally accepted coding guidelines. Therefore, this policy applies to any and all future applicable coding changes, revisions, or updates.

In order to ensure optimal reimbursement, all health care services, devices, and pharmaceuticals should be reported using the billing codes and modifiers that most accurately represent the services rendered, unless otherwise directed by the Company.

The Coding Table lists any CPT, ICD-10, and HCPCS billing codes related only to the specific policy in which they appear.

CPT Procedure Code Number(s)

N/A

ICD - 10 Procedure Code Number(s)

N/A

ICD - 10 Diagnosis Code Number(s)

G43.001 Migraine without aura, not intractable, with status migrainosus
G43.009 Migraine without aura, not intractable, without status migrainosus
G43.011 Migraine without aura, intractable, with status migrainosus
G43.019 Migraine without aura, intractable, without status migrainosus
G43.101 Migraine with aura, not intractable, with status migrainosus
G43.109 Migraine with aura, not intractable, without status migrainosus
G43.111 Migraine with aura, intractable, with status migrainosus
G43.119 Migraine with aura, intractable, without status migrainosus
G43.401 Hemiplegic migraine, not intractable, with status migrainosus
G43.409 Hemiplegic migraine, not intractable, without status migrainosus
G43.411 Hemiplegic migraine, intractable, with status migrainosus
G43.419 Hemiplegic migraine, intractable, without status migrainosus
G43.501 Persistent migraine aura without cerebral infarction, not intractable, with status migrainosus
G43.509 Persistent migraine aura without cerebral infarction, not intractable, without status migrainosus
G43.511 Persistent migraine aura without cerebral infarction, intractable, with status migrainosus
G43.519 Persistent migraine aura without cerebral infarction, intractable, without status migrainosus
G43.601 Persistent migraine aura with cerebral infarction, not intractable, with status migrainosus
G43.609 Persistent migraine aura with cerebral infarction, not intractable, without status migrainosus
G43.611 Persistent migraine aura with cerebral infarction, intractable, with status migrainosus
G43.619 Persistent migraine aura with cerebral infarction, intractable, without status migrainosus
G43.701 Chronic migraine without aura, not intractable, with status migrainosus
G43.709 Chronic migraine without aura, not intractable, without status migrainosus
G43.711 Chronic migraine without aura, intractable, with status migrainosus
G43.719 Chronic migraine without aura, intractable, without status migrainosus
G43.801 Other migraine, not intractable, with status migrainosus
G43.809 Other migraine, not intractable, without status migrainosus
G43.811 Other migraine, intractable, with status migrainosus
G43.819 Other migraine, intractable, without status migrainosus
G43.821 Menstrual migraine, not intractable, with status migrainosus
G43.829 Menstrual migraine, not intractable, without status migrainosus
G43.831 Menstrual migraine, intractable, with status migrainosus
G43.839 Menstrual migraine, intractable, without status migrainosus
G43.901 Migraine, unspecified, not intractable, with status migrainosus
G43.909 Migraine, unspecified, not intractable, without status migrainosus

G43.911 Migraine, unspecified, intractable, with status migrainosus
 G43.919 Migraine, unspecified, intractable, without status migrainosus
 G43.E01 Chronic migraine with aura, not intractable, with status migrainosus
 G43.E09 Chronic migraine with aura, not intractable, without status migrainosus
 G43.E11 Chronic migraine with aura, intractable, with status migrainosus
 G43.E19 Chronic migraine with aura, intractable, without status migrainosus

HCPCS Level II Code Number(s)

**THE FOLLOWING CODE(S) ARE USED TO REPORT
 Eptinezumab-jjmr (VYEPTI™)**

J3032 Injection, eptinezumab-jjmr, 1 mg

Revenue Code Number(s)

N/A

Policy History

Revisions From MA08.116d:

03/28/2025	This policy has been reissued in accordance with the Company's annual review process.
05/07/2024	This policy has been reissued in accordance with the Company's annual review process.
10/01/2023	This policy has been identified for the ICD-10 CM code update, effective 10/01/2023. The following ICD-10 CM codes have been added to this policy: G43.E09 Chronic migraine with aura, not intractable, without status migrainosus G43.E11 Chronic migraine with aura, intractable, with status migrainosus G43.E19 Chronic migraine with aura, intractable, without status migrainosus

Revisions From MA08.116c:

02/27/2023	This version of the policy will become effective 02/27/2023. This policy was updated to communicate the Company's coverage criteria for Eptinezumab-jjmr (VYEPTI™). The following was removed: - Medication will not be used in combination with onabotulinumtoxin A (Botox) for chronic migraine The following was updated with examples of CGRPs: - Medication will not be used in combination with another CGRP inhibitor(e.g. for episodic or chronic migraines Erenumab [Aimovig], fremanezumab [Ajovy], or galcanezumab [Emgality] or oral CGRP Antagonist for episodic migraines Rimegepant [Nurtec ODT] or atogepant [Qulipta])
------------	--

Revisions From MA08.116b:

04/06/2022	This policy has been reissued in accordance with the Company's annual review process.
07/28/2021	This policy has been reissued in accordance with the Company's annual review process.
10/01/2020	This policy has been identified for the HCPCS code update, effective 10/01/2020. The following HCPCS code has been termed from this policy: C9063 Injection, eptinezumab-jjmr, 1 mg J3590 Unclassified biologics The following HCPCS code has been added to this policy:

	J3032 Injection, eptinezumab-jjmr, 1 mg
--	---

Revisions From MA08.116a:

07/01/2020	This policy has been identified for the HCPCS code update, effective 07/01/2020. The following HCPCS code has been termed from this policy: C9399 Unclassified drugs or biologics The following HCPCS code has been added to this policy: C9063 Injection, eptinezumab-jjmr, 1 mg
------------	---

Revisions From MA08.116:

05/11/2020	This version of the policy will become effective 05/11/2020. This new policy has been developed to communicate the Company's coverage criteria for Eptinezumab-jjmr (VYEPTI™).
------------	--

Version Effective Date:

2/27/2023

Version Issued Date:

2/27/2023

Version Reissued Date:

03/28/2025